

STAINLESS STEEL JET PUMPS

JSL & CTJX SERIES



STAINLESS STEEL JET PUMPS

JSL SERIES

ABOVE GROUND PUMPS



JSL60PC



JSL101PC

The JSL Series are the perfect household pressure pumps which delivers strong and even pressure. Reliable and efficient, these horizontal 304 stainless steel self-priming jet pumps are a cost-effective solution for domestic rainwater tanks or whole house supply.

ADVANTAGES

- Run Dry Protection.
- Automatic pressure controller (stop & start on demand).
- Self-priming.
- Quick connect plug & play connection for pressure controller.
- Efficient power consumption.

APPLICATIONS

- Water transfer.
- Pressure boosting.
- Pumping from underground tanks.
- Household water supply and irrigation.
- Rainwater tank pump set.

CONSTRUCTION

| | | |
|-------|----------------|--------------------|
| Pump | Pump body | Stainless steel |
| | Impeller | Noryl |
| | Diffuser & jet | Noryl |
| | Mech. seal | Ceramic / graphite |
| | Pump shaft | Stainless steel |
| Motor | Motor housing | Aluminium |
| | Motor shaft | Carbon steel |
| | Insulation | Class F |
| | Protection | IP44 |
| | Cooling | External (TEFC) |

TAP GUIDE

| | |
|----------------------------------|--|
| JSL60PC 0838 1030 105 | |
| JSL101PC 0838 1030 106 | |

*Taps have been calculated at 10L/min @ 140kpa

PERFORMANCE TABLE

| Model | Power | | | Max Flow | Max Head | Max Suction | Inlet / Outlet |
|--------|-------|------|-----|----------|----------|-------------|----------------|
| | HP | kW | V | Lpm | (M) | (M) | |
| JSL60 | 0.6 | 0.44 | 240 | 55 | 30 | 8 | 1" x 1" |
| JSL101 | 1 | 0.75 | 240 | 60 | 45 | 8 | 1" x 1" |

STAINLESS STEEL JET PUMPS

CTJX SERIES

ABOVE GROUND PUMPS



The CTJX Series - Villamate is the perfect household pressure pump, reliable and efficient, delivering strong and even pressure. This horizontal stainless steel self-priming jet pump is ideal for rainwater tank or whole house supply and can be utilised with either an electronic pressure controller or a conventional pressure switch and tank. Made in Italy.

ADVANTAGES

- Run Dry Protection (pressure controller).
- Automatic pressure controller (stop & start on demand).
- Self-priming.
- Quick connect plug & play connection for pressure controller or pressure switch.
- Efficient power consumption.

APPLICATIONS

- Water transfer.
- Pressure boosting.
- Pumping from underground tanks.
- Household water supply and irrigation.
- Rainwater tank pump set.

CONSTRUCTION

| | | |
|-------|----------------|---------------------|
| Pump | Pump body | Stainless steel |
| | Impeller | Stainless steel |
| | Diffuser & jet | Noryl |
| | Mech. seal | Ceramic / graphite |
| | Pump shaft | 316 stainless steel |
| Motor | Motor housing | Aluminium |
| | Motor shaft | Carbon steel |
| | Insulation | Class F |
| | Protection | IP44 |
| | Cooling | External (TEFC) |

TAP GUIDE

| | | | | | |
|----------------------------------|--|--|--|--|--|
| CTJX-120 0838 1030 112 | | | | | |
| | | | | | |

*Taps have been calculated at 10L/min @ 140kpa

PERFORMANCE TABLE

| Model | Power | | | Max Flow | Max Head | Max Suction | Inlet / Outlet |
|----------|-------|-----|-----|----------|----------|-------------|----------------|
| | HP | kW | V | Lpm | (M) | (M) | |
| CTJX-120 | 1.2 | 0.9 | 240 | 97 | 46 | 8 | 1 1/4" x 1" |



NORMA Pacific (Australia) Pty Ltd
85 Merrindale Drive,
Croydon South, Victoria, AUSTRALIA
Tel: 03 9761 4416 Fax: 03 9761 4030
ABN 42 054 880 769